

# RML Example 55 : Condpagebreak



RML (Report Markup Language) is ReportLab's own language for specifying the appearance of a printed page, which is converted into PDF by the utility rml2pdf.

These RML samples showcase techniques and features for generating various types of output and are distributed within our commercial package as test cases. Each should be self explanatory and stand alone.

---

## KeepWithNext

The `keepWithNext` attribute for the `paraStyle` tag tells the paragraph, whether it should always be kept together with the next paragraph or not. This can be useful for keeping headings together with the following paragraph. The default value is 0.

The code looks as follows:

```
<paraStyle name="keepApart" keepWithNext="0" />
<paraStyle name="keepTogether" keepWithNext="1" />
```

An example with `keepWithNext="0"`. There is a spacer underneath.

This is paragraph 1 with the `keepWithNext="0"` attribute.

This is paragraph 2.

# RML Example 55 : Condpagebreak



An example with `keepWithNext="1"`. There is a spacer underneath

This is paragraph 1, whose style has the `keepWithNext="1"` attribute.  
This is paragraph 2.

## condPageBreak

The `<condPageBreak/>` tag will move to the next page if there is not enough space on the page. The length required to stay on the same page is give by the attribute `height` which takes a length in the allowed measurements.

Blah blah blah blah blah Lieutenant Commander Data Harry Kim blah blah. Blah cloaking device blah blah Lieutenant Commander Data blah Dr. Pulaski blah blah blah USS Enterprise blah blah blah emergency transponder. Blah blah Ferrengi blah blah. Blah blah blah blah blah Tom Paris Archer IV blah blah Archer IV

## RML Example 55 : Condpagebreak



blah blah Soyuz class science vessel blah Betazoid blah blah blah blah warship blah blah blah blah blah. Blah blah blah Lieutenant Worf blah blah Lieutenant Worf Vulcan blah blah blah. Blah blah blah blah blah blah blah Tom Paris blah William Riker blah blah blah blah blah Klingon blah Admiral Nakamura blah blah blah blah. Blah blah blah blah blah blah Romulan ale blah blah blah asteroid field blah blah blah blah blah blah. Blah blah blah blah blah Memory Alpha blah blah blah blah blah. Blah blah blah Captain Picard blah blah Romulan blah blah blah blah blah Admiral Nakamura blah blah. Blah blah blah blah blah Starfleet Academy blah blah USS Intrepid blah blah blah blah blah blah holodeck blah blah blah. Blah blah blah blah ...with a phaser! blah blah blah blah Romulan Vulcan blah blah blah. Blah blah quantum flux blah blah blah quantum flux Chief O'Brian blah blah blah blah blah blah. Blah Counsellor Troi blah blah blah blah USS Intrepid blah blah blah blah Captain Janeway blah asteroid field blah IKV Pagh blah blah. Blah blah blah blah blah olah Betazoid blah blah blah blah IKV Pagh blah blah Captain Janeway blah blah IKV Pagh. Blah photon torpedo blah blah blah blah photon torpedo blah blah blah blah blah Ferrengi blah blah blah. Blah blah blah United Federation of Planets blah blah blah blah blah Deep Space Nine blah blah blah blah blah blah blah blah blah blah. Blah blah "Intruder alert!" Romulan blah blah blah blah blah blah. Blah blah blah shuttlecraft Ferrengi Vulcan blah blah blah blah Galaxy class vessel blah blah blah blah blah blah. Blah turbolift blah blah scout ship cruiser blah quantum flux blah William Riker blah blah blah. Blah blah blah blah battlecruiser blah blah blah blah blah blah. Blah Dr. Pulaski Pacifica blah blah blah blah blah turbolift. Blah blah blah Benzite blah Bajoran blah blah "Borg Invasion imminent!" blah blah blah blah blah blah blood wine. Blah emergency transponder blah Starfleet blah shuttle bay 2 blah blah blah. Blah blah blah blah blah blah blah blah blah distress signal blah spacedock blah Irumodic Syndrome blah Romulan ale blah blah blah blah. Blah blah blah "All hands abandon ship! This is not a drill!" blah blah blah blah.

The conditional page break comes in here and is set for 3 inches.

This is on the next page since there was less than three inches till the end of the page.

Blah blah blah blah blah Lieutenant Commander Data Harry Kim blah blah. Blah cloaking device blah blah Lieutenant Commander Data blah Dr. Pulaski blah blah blah USS Enterprise blah blah blah emergency transponder. Blah blah Ferrengi blah blah blah blah blah blah blah blah blah. Blah blah blah blah blah Tom Paris Archer IV blah blah Archer IV blah blah Soyuz class science vessel blah Betazoid blah blah blah blah warship blah blah blah blah. Blah blah blah Lieutenant Worf blah blah Lieutenant Worf Vulcan blah blah blah. Blah blah blah blah blah blah Tom Paris blah William Riker blah blah blah blah blah blah blah Klingon blah Admiral Nakamura blah blah blah blah. Blah blah blah blah blah blah blah Romulan ale blah blah blah asteroid field blah blah blah blah blah blah. Blah blah blah blah Memory Alpha blah blah blah blah. Blah blah blah Captain Picard blah blah Romulan blah blah blah blah Admiral Nakamura blah blah. Blah blah blah blah blah blah Starfleet Academy blah blah USS Intrepid blah blah blah blah blah blah blah blah holodeck blah blah blah. Blah blah blah blah ...with a phaser! blah blah blah blah Romulan Vulcan blah blah. Blah blah quantum flux blah blah blah blah quantum flux Chief O'Brian blah blah blah blah blah. Blah Counsellor Troi blah blah blah blah blah USS Intrepid blah blah blah blah Captain Janeway blah asteroid field blah IKV Pagh blah. Blah blah blah blah Betazoid blah blah blah blah blah IKV Pagh blah. Blah Captain Janeway blah blah IKV Pagh. Blah photon torpedo blah blah blah blah blah photon torpedo blah blah. Blah blah blah blah blah blah Ferrengi blah blah blah blah. Blah blah blah blah United Federation of Planets blah blah blah blah blah blah Deep Space Nine blah blah blah blah blah blah. Blah blah "Intruder alert!" Romulan blah blah blah blah blah blah. Blah blah blah shuttlecraft Ferrengi Vulcan blah blah blah blah blah blah Galaxy class vessel blah blah blah blah blah. Blah turbolift blah blah scout ship cruiser blah quantum flux blah blah blah blah blah blah blah. Blah William Riker blah blah blah. Blah blah blah blah battlecruiser blah blah blah blah blah blah. Blah Dr. Pulaski Pacifica blah blah blah blah blah turbolift. Blah blah blah Benzite blah Bajoran blah blah "Borg Invasion imminent!" blah blah blah blah blah. Blah blood wine. Blah emergency transponder blah Starfleet blah blah blah blah blah blah blah. Blah blah blah blah blah blah blah distress signal blah spacedock blah Irumodic Syndrome blah Romulan ale blah blah blah blah. Blah blah blah "All hands abandon ship! This is not a drill!" blah blah blah.

The conditional page break comes in here and is set for 3 inches.

## RML Example 55 : Condpagebreak



This is at the bottom of the page since there are more than 3in remaining.

## frameBreakBefore and pageBreakBefore

The frameBreakBefore and pageBreakBefore are both attributes of the <paraStyle> tag.

The frameBreakBefore attribute causes the new paragraph to go into the next frame, even if there is still space in the current frame. The default value is 0.

The pageBreakBefore attribute causes the new paragraph to go into the next page, even if there is still space in the current frame, or if there are other frames remaining on the page. The default value is 0.

This is an example of frameBreakBefore. The next paragraph will be in a new frame.

This paragraph is in a new frame, since its style has the attribute frameBreakBefore= "1 "

## RML Example 55 : Condpagebreak



This is an example of pageBreakBefore. The next paragraph will be on a new page.

## RML Example 55 : Condpagebreak



This paragraph is on a new page. It missed out the frame in the lower right corner of the last page, since its style has `pageBreakBefore="1"`

## allowWidows

The `allowWidows` attribute, for the `<paraStyle>` tag, allows the paragraph to have a widow, a line of text, separated from the rest of the paragraph, at the end. The default value for `allowWidows` is 1.

This is an example of `allowWidows="1"`  
Blah blah blah blah SQL blah blah blah blah  
pizza blah blah blah blah blah TeX blah blah blah  
blah blah. Blah Intercal blah blah blah blah blah  
blah TeX OS/2 TFT display blah Linux blah blah  
blah blah crash! blah blah Sun Microsystems  
blah Logo blah blah. Blah blah blah blah blah  
blah blah blah blah blah VB Tcl/Tk Fortran blah  
blah blah awk blah blah blah. Blah blah blah blah  
blah blah blah blah blah blah blah PGP  
TCP/IP blah blah blah. Blah cgi Modula-3 SQL  
blah blah blah Delphi blah LISP blah BETA mailing  
lists blah. Blah blah blah blah pepperoni  
pizza blah blah blah blah blah blah blah  
blah blah blah blah blah blah monitor blah. Blah  
blah blah blah blah blah blah blah parallel  
languages blah blah blah blah blah blah blah  
blah BEER! blah blah. Blah blah beer blah blah  
OpenGL monitor blah blah blah blah. Blah blah  
blah blah blah blah blah blah blah blah blah  
"illiterate programming" blah blah C: drive. Blah

blah blah.  
This example has a widow (the line above).

This is an example of allowWidows= "0"  
Blah blah blah blah SQL blah blah blah blah  
pizza blah blah blah blah TeX blah blah blah  
blah blah. Blah Intercal blah blah blah blah  
blah TeX OS/2 TFT display blah Linux blah blah  
blah blah crash! blah blah Sun Microsystems  
blah Logo blah blah. Blah blah blah blah  
blah blah blah blah VB Tcl/Tk Fortran blah  
blah blah awk blah blah blah. Blah blah blah blah  
blah blah blah blah blah blah PGP  
TCP/IP blah blah blah. Blah cgi Modula-3 SQL  
blah blah blah Delphi blah LISP blah BETA mailing  
lists blah. Blah blah blah blah pepperoni  
pizza blah blah blah blah blah blah blah  
blah blah blah blah blah monitor blah. Blah  
blah blah blah blah blah blah blah parallel  
languages blah blah blah blah blah blah  
blah BEER! blah blah. Blah blah beer blah blah  
OpenGL monitor blah blah blah blah. Blah blah  
blah blah blah blah blah blah blah blah blah

"illiterate programming" blah blah C: drive. Blah  
blah blah.  
This example does not have a widow, since another  
line has been brought with it.

## allowOrphans

The allowOrphans attribute allows the paragraph to have an orphan, a line of text, left in the original frame, separated from the rest of the paragraph. The default value is for this attribute is 0.

## RML Example 55 : Condpagebreak

This is an example of allowOrphans= "0"

There is no orphan below.

Blah blah blah blah SQL blah blah blah blah  
pizza blah blah blah blah blah TeX blah blah blah  
blah blah. Blah Intercal blah blah blah blah blah  
blah TeX OS/2 TFT display blah Linux blah blah  
blah blah crash! blah blah Sun Microsystems  
Logo blah blah. Blah blah blah blah blah blah  
blah blah blah blah VB Tcl/Tk Fortran blah blah  
blah awk blah blah blah. Blah blah blah blah blah  
blah blah blah blah blah blah PGP TCP/IP  
blah blah blah. Blah cgi Modula-3 SQL blah blah  
blah Delphi blah LISP blah BETA mailing lists  
blah. Blah blah blah blah pepperoni pizza blah  
blah blah blah blah blah blah blah blah blah  
blah blah blah monitor blah. Blah blah blah blah  
blah blah blah blah blah parallel languages blah  
blah blah blah blah blah blah BEER! blah  
blah. Blah blah beer blah blah OpenGL monitor  
blah blah blah blah. Blah blah Phys blah blah  
blah blah blah blah blah blah "illiterate pro-  
gramming" blah blah C: drive.

This is an example of allowOrphans= "1"

There is an orphan below.

Blah blah blah blah SQL blah blah blah blah

pizza blah blah blah blah TeX blah blah blah  
blah blah. Blah Intercal blah blah blah blah blah  
blah TeX OS/2 TFT display blah Linux blah blah  
blah blah crash! blah blah Sun Microsystems  
blah Logo blah blah. Blah blah blah blah blah  
blah blah blah blah blah VB Tcl/Tk Fortran blah  
blah blah awk blah blah blah. Blah blah blah blah  
blah blah blah blah blah blah PGP  
TCP/IP blah blah blah. Blah cgi Modula-3 SQL  
blah blah blah Delphi blah LISP blah BETA mailing  
lists blah. Blah blah blah blah pepperoni  
pizza blah blah blah blah blah blah blah  
blah blah blah blah blah blah monitor blah. Blah  
blah blah blah blah blah blah blah parallel  
languages blah blah blah blah blah blah  
blah BEER! blah blah. Blah blah beer blah blah  
OpenGL monitor blah blah blah blah. Blah blah  
Phys blah blah blah blah blah blah  
blah "illiterate programming" blah blah C: drive.

## endDots

The `endDots` attribute fills in the rest of the last line of the paragraph with the characters given for the attribute.

This paragraph should have dots following it until the end of the line.....

This paragraph should have the characters "123" following it until the end of the line. 123123123123123123123123123123